

Benchmark**BMG560**

CHEMICAL RESISTANT FLOCK LINED NITRILE GAUNTLET

Flock-lined nitrile gauntlet with a textured palm to handle various liquids and chemicals*.

FEATURES

- › Flock-lined for extra comfort and to ease donning
- › Textured palm and fingertips to enhance grip in wet conditions
- › CE category III approved
- › Straight cuff
- › Latex free - ideal for people with Type I latex sensitivity
- › Approved for food-handling
- › Thickness: 0.38mm
- › Length: 330mm



SUITABLE FOR


Typical Industries

- Agriculture
- Automotive
- Chemical
- Facility Management
- Oil and Gas
- Repair and Refurbish

Suitable Applications

- Chemical Handling
- Cleaning
- Commercial Printing
- Paintshop
- Pesticide Handling

CERTIFICATION



See overleaf for explanation

Globus
GROUP

Benchmark**BMG560****SUITABLE FOR**

MATERIAL	Nitrile
COLOUR	Green
LENGTH (mm)	330
CUFF STYLE	Gauntlet

RECOMMENDATIONS FOR USE


- It is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.
- Do not use near moving machines if there is a risk of entanglement.
- Storage: Gloves should be ideally stored in cool, dry conditions in original packaging and away from direct sunlight.
- Cleaning/Maintenance: Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. If appropriate, decontamination may take place under lukewarm water using laundry soap and detergent. Don't use chlorine bleaches.

PRODUCT INFORMATION

SIZE	ITEM NO.	PACKAGING
7/S	BMG00560ED	Individually bagged
8/M	BMG00560EF	10 pairs per bag
9/L	BMG00560EH	120 pairs per case
10/XL	BMG00560EJ	

CERTIFICATION LEGENDS

MECHANICAL HAZARDS
EN 388: 2016

PERFORMANCE LEVELS*

* If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter

**RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374: 2016**

CODE	CHEMICAL	CODE	CHEMICAL
A	Methanol	J	n-Heptane
B	Acetone	K	Sodium hydroxide 40%
C	Acetonitrile	L	Sulphuric acid 96%
D	Dichloromethane	M	65% Nitric acid
E	Carbon Disulfide	N	99% Acetic acid
F	Toluene	O	25% Ammonium hydroxide
G	Diethylamine	P	30% Hydrogen peroxide
H	Tetrahydrofurane	S	40% Hydrofluoric acid
I	Ethyl acetate	T	37% Formaldehyde

TYPE OF GLOVES	BREAKTHROUGH TIME
A	≥30 min for at least 6 chemicals
B	≥30 min for at least 3 chemicals
C	≥10 min for at least 1 chemical

**PROTECTION AGAINST MICRO-ORGANISMS EN 374-5**

VIRUS = Glove has passed
ISO 16604: 2004 (method B)

ABOUT GLOBUS

World leader in protecting hands, Globus serves organisations with bespoke hand protection solutions built from a professional range of high performance protective gloves.

Globus is proud to offer bespoke solutions that deliver robust commercial benefits not just safety improvements. We have an enviable track record in helping to reduce hand accident rates whilst delivering improved comfort and productivity as well as waste and cost reductions.

Globus applies its expertise across a spectrum of industries, meeting and exceeding a diverse range of hand protection requirements; from the rigorous demands of the petrochemical and construction industries to the complexities of clean room and aerospace manufacturing.

Find out why leading companies rely on a solution from Globus to help implement a comprehensive hand protection policy. Contact us today.

EUROPE

www.globus.co.uk

E: sales@globus.co.uk

T: +44 (0)161 877 4747

F: +44 (0)161 877 4746

MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com

T: +971 4 882 9962

F: +971 4 882 9963



Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

© 2019 Globus (Shetland) Ltd | BMK-DATA-BMG560-0919_1